		ST DEPARTMENT DIVISION O	OF NA				FORI	_
APPLIC	CATION FOR	PERMIT TO DRILL	L			1. WELL NAME and	NUMBER CWU 4031-27	
2. TYPE OF WORK  DRILL NEW WELL	REENTER P&	P&A WELL DEEPEN WELL NATURAL BUTTES						
<b>4. TYPE OF WELL</b> Gas We	ll Coalb	ed Methane Well: NO				5. UNIT or COMMU	NITIZATION AGREI CHAPITA WELLS	EMENT NAME
6. NAME OF OPERATOR	EOG Resou	rces, Inc.				7. OPERATOR PHON	<b>NE</b> 435 781-9111	
8. ADDRESS OF OPERATOR	RATOR 1060 East Highway 40, Vernal, UT, 84078				9. OPERATOR E-MA kaylene_g	IL gardner@eogresource	es.com	
10. MINERAL LEASE NUMBER (FEDERAL, INDIAN, OR STATE)		11. MINERAL OWNE			3	12. SURFACE OWN		3
UTU0344A  13. NAME OF SURFACE OWNER (if box 12	= 'fee')	FEDERAL ( IND	OIAN (	) STATE (	) FEE (I)	FEDERAL INI	DIAN ( STATE (	~ ~
15. ADDRESS OF SURFACE OWNER (if box						16. SURFACE OWNE		
TO ADDRESS OF SOM ACE OWNER (II DOX	12 - 100 )	10 INTEND TO COM	4MTNC	I E DDODUCT	TON EDOM	19. SLANT	IN E PIAZE (II BOX 2	- 160 /
17. INDIAN ALLOTTEE OR TRIBE NAME (if box 12 = 'INDIAN')		18. INTEND TO COM	IONS					~
1			ommin	gling Applicat		VERTICAL DIRECTIONAL HORIZONTAL		
20. LOCATION OF WELL	FO	OTAGES	Q1	TR-QTR	SECTION	TOWNSHIP	RANGE	MERIDIAN
LOCATION AT SURFACE		NL 1920 FEL		SWNE	27	9.0 S	23.0 E	S
Top of Uppermost Producing Zone	1844 FN	NL 1920 FEL		SWNE	27	9.0 S	23.0 E	S
At Total Depth	1844 FN	NL 1920 FEL		SWNE	27	9.0 S	23.0 E	S
21. COUNTY  UINTAH		22. DISTANCE TO N	18	844		23. NUMBER OF AC	640	JNIT
		25. DISTANCE TO N (Applied For Drilling	g or Co		AME POOL	26. PROPOSED DEP	<b>PTH</b> : 6690 TVD: 6690	
<b>27. ELEVATION - GROUND LEVEL</b> 5276		28. BOND NUMBER	NM	2308		29. SOURCE OF DRI WATER RIGHTS AP		F APPLICABLE
		A <sup>-</sup>	TTACH	HMENTS				
VERIFY THE FOLLOWING	ARE ATTACH	ED IN ACCORCAN	CE WI	ITH THE UT	AH OIL AND G	AS CONSERVATION	ON GENERAL RU	LES
WELL PLAT OR MAP PREPARED BY	LICENSED SUR	VEYOR OR ENGINEE	R	<b>№</b> сом	PLETE DRILLING	PLAN		
AFFIDAVIT OF STATUS OF SURFACE	OWNER AGRE	EMENT (IF FEE SURF	ACE)	FORM	1 5. IF OPERATO	R IS OTHER THAN TI	HE LEASE OWNER	
DIRECTIONAL SURVEY PLAN (IF DI	RECTIONALLY	OR HORIZONTALLY		<b>№</b> торо	OGRAPHICAL MAR	•		
NAME Mary Maestas	TITL	<b>E</b> Regulatory Assistant			PHONE 303 82	24-5526		
SIGNATURE	DATI	E 03/30/2009			EMAIL mary_r	maestas@eogresource	s.com	
<b>API NUMBER ASSIGNED</b> 43047503070000	АРРІ	ROVAL			Permi	t Manager		

API Well No: 43047503070000 Received: 3/26/2009

	Proposed Hole, Casing, and Cement						
String	Hole Size	Casing Size	Top (MD)	Bottom (MD)			
Surf	12.25	9.625	0	2300			
Pipe	Grade	Length	Weight				
	Grade J-55 ST&C	2300	36.0				

API Well No: 43047503070000 Received: 3/26/2009

	Proposed Hole, Casing, and Cement						
String	Hole Size	Casing Size	Top (MD)	Bottom (MD)			
Prod	7.875	4.5	0	6690		T	
Pipe	Grade	Length	Weight			I	
	Grade N-80 LT&C	6690	11.6			Γ	
						Γ	

#### CHAPITA WELLS UNIT 4031-27 SW/NE, SEC. 27, T9S, R23E, S.L.B.&M.. UINTAH COUNTY, UTAH

#### 1. & 2. ESTIMATED TOPS & ANTICIPATED OIL, GAS, & WATER ZONES:

FORMATION	TVD-RKB (ft)	Objective	Lithology	
Green River	1,611		Shale	
Birdsnest Zone	1,747		Dolomite	
Mahogany Oil Shale Bed	2,230		Shale	
Wasatch	4,447	Primary	Sandstone	Gas
Chapita Wells	5,008	Primary	Sandstone	Gas
Buck Canyon	5,668	Primary	Sandstone	Gas
North Horn	6,207	Primary	Sandstone	Gas
KMV Price River	6,488		Sandstone	
TD	6,690			

Estimated TD: 6,690' or 200'± below TD Anticipated BHP: 3,653 Psig

- 1. Fresh Waters may exist in the upper, approximately 1,000 ft  $\pm$  of the Green River Formation, with top at about 2,000 ft  $\pm$ .
- 2. Cement isolation is installed to surface of the well isolating all zones by cement.

#### 3. PRESSURE CONTROL EQUIPMENT:

Production Hole – 5000 Psig

BOP schematic diagrams attached.

#### 4. CASING PROGRAM:

CASING	Hole Size	<u>Length</u>	<u>Size</u>	WEIGHT	<u>Grade</u>	Thread	Rating Collapse	Factor Burst	<u>Tensile</u>
Conductor	20"	40 – 60'	14"	32.5#	A252			1880 PSI	10,000#
Surface	12 ¼"	0' - 2,300' KB±	9-5/8"	36.0#	J-55	STC	2020 PSI	3520 Psi	394,000#
Production	7-7/8"	Surface – TD	4-1/2"	11.6#	N-80	LTC	6350 PSI	7780 Psi	233,000#

Note: 12-1/4" surface hole will be drilled to a total depth of 200'± below the base of the Green River lost circulation zone and cased w/9-5/6" as shown to that depth. Drilled depth may be shallower or deeper than the 2300' shown above depending on the actual depth of the loss zone.

All casing will be new or inspected.

#### CHAPITA WELLS UNIT 4031-27 SW/NE, SEC. 27, T9S, R23E, S.L.B.&M.. UINTAH COUNTY, UTAH

#### 5. Float Equipment:

#### Surface Hole Procedure (0'- 2300'±)

Guide Shoe

Insert Float Collar (PDC drillable)

Centralizers: 1-5' above shoe, top of jts. #2 and #3 then every 5<sup>th</sup> joint to surface. (15 total)

#### Production Hole Procedure (2300'± - TD):

Float shoe, 1 joint casing, float collar and balance of casing to surface. 4-½", 11.6#, N-80 or equivalent marker collars or short casing joints to be placed at top of Price River and 400' above top of Wasatch. Centralizers to be placed 5' above shoe on joint #1, top of joint #2, and every 2nd joint to 400' above Wasatch Island top. Thread lock float shoe, top and bottom of float collar, and top of 2<sup>nd</sup> joint.

#### 6. MUD PROGRAM

#### Surface Hole Procedure (Surface - 2300'±):

Air/air mist or aerated water.

#### Production Hole Procedure (2300'± - TD):

Anticipated mud weight 9.5 – 10.5 ppg depending on actual wellbore conditions encountered while drilling.

2300'±-TD A closed mud system will be utilized. A bentonite gelled water mud system will be used to control viscosity w/PHPA polymer used for supplemental viscosity and clay encapsulation/inhibition. Water loss will be maintained at <15cc's using white starch or PAC. Bactericides will be used as needed. Anticipated pH will range from 9.0-10.0. Mud weight will be adjusted as necessary for well control. Deflocculants/thinners will be used as necessary to maintain mud quality. LCM sweeps will be utilized as necessary to control lost circulation and mud loss. CO2 contamination, if encountered, will be treated with lime and gypsum.

#### CHAPITA WELLS UNIT 4031-27 SW/NE, SEC. 27, T9S, R23E, S.L.B.&M.. UINTAH COUNTY, UTAH

#### 7. VARIANCE REQUESTS:

Reference: Onshore Oil and Gas Order No. 1

Onshore Oil and Gas Order No. 2 – Section E: Special Drilling Operations

- o EOG Resources, Inc. requests a variance to regulations requiring a straight run blooie line to be 100' in length. (Where possible, a straight run blooie line will be used).
- o EOG Resources, Inc. requests a variance to regulations requiring the blooie line to be 100' in length. To reduce location excavation, the blooie line will be approximately 75' in length.
- EOG Resources, Inc. requests a variance to regulations, during air drilling operations only, requiring dedusting equipment. Dust during air drilling operations is controlled by water mist.
- EOG Resources, Inc. requests a variance to regulations, during air drilling operations only, requiring an automatic igniter or continuous pilot light on the blooie line. (Not required on aerated water system).
- EOG Resources, Inc. requests a variance that compressors are located in the opposite direction from the blooie line a minimum of 100 feet from the well bore. (Air Compressors are rig mounted).

#### 8. EVALUATION PROGRAM:

Cased-hole Logs: Cased-hole logs will be run in lieu of open-hole logs consisting of the following:

CBL/CCL/VDL/GR

#### CHAPITA WELLS UNIT 4031-27 SW/NE, SEC. 27, T9S, R23E, S.L.B.&M.. UINTAH COUNTY, UTAH

#### 9. CEMENT PROGRAM:

#### Surface Hole Procedure (Surface - 2300'±):

Lead: 185 sks Class "G" cement with 16% Gel, 10 #/sx Gilsonite, 3% Salt, 2% CaCl<sub>2</sub>, 3 lb/sx

GR3 ½ #/sx Flocele mixed at 11 ppg, 3.82 ft<sup>3</sup>/sk, yield, 23 gps water.

Tail: 207 sks Class "G" cement with 2% CaCl<sub>2</sub>, ¼#/sk Flocele mixed at 15.6 ppg, 1.18 ft<sup>3</sup>/sk., 5.2 gps

water.

Top Out: As necessary with Class "G" cement with 2% CaCl<sub>2</sub>, ¼#/sk Flocele mixed at 15.6 ppg,

1.18 ft<sup>3</sup>/sk., 5.2 gps water.

**Note**: Cement volumes will be calculated to bring lead cement to surface and tail cement to

500'above the casing shoe.

#### Production Hole Procedure (2300'± - TD)

**Lead:** 117 sks: Hi-Lift "G" w/12% D20 (Bentonite), 1% D79 (Extender), 5% D44

(Salt),0.2% D46 (Antifoam), 0.25% D112 (Fluid Loss Additive), 0.25 pps D29 (cello flakes)

mixed at 11.0 ppg, 3.91 ft<sup>3</sup>/sk., 24.5 gps water.

**Tail:** 480 sks: 50:50 Poz "G" w/ 2% D20 (Bentonite), 0.1% D46 (Antifoam), 0.075%

D13 (Retarder), 0.2% D167 (Fluid Loss Additive), 0.2% D65 (Dispersant), mixed at 14.1

ppg, 1.28 ft<sup>3</sup>/sk., 5.9gps water.

**Note**: The above number of sacks is based on gauge-hole calculation.

Lead volume to be calculated to bring cement to 200'± above 9-5/8" casing shoe. Tail volume to be calculated to bring cement to 400'± above top of Wasatch.

Final Cement volumes will be based upon gauge-hole plus 45% excess.

#### 10. ABNORMAL CONDITIONS:

#### Surface Hole (Surface - 2300'±):

Lost circulation

#### Production Hole (2300'± - TD):

Sloughing shales, lost circulation and key seat development are possible in the Wasatch Formation.

#### CHAPITA WELLS UNIT 4031-27 SW/NE, SEC. 27, T9S, R23E, S.L.B.&M.. UINTAH COUNTY, UTAH

#### 11. STANDARD REQUIRED EQUIPMENT:

- A. Choke Manifold
- B. Upper and Lower Kelly Cock
- C. Stabbing Valve
- D. Visual Mud Monitoring

#### 12. HAZARDOUS CHEMICALS:

No chemicals subject to reporting under SARA title III in an amount equal to or greater than 10,000 pounds will be used, produced, stored, transported, or disposed of annually in association with the drilling of this well. Furthermore, no extremely hazardous substances, as defined in 40 CFR 355, in threshold planning quantities, will be used, produced, stored, transported, or disposed of in association with the drilling of this well.


#### 13. Air Drilling Operations:

- 1. Main Air Compressors are 1250 CFM 350 psi with 2000 psi Boosters and are rig mounted.
- 2. Secondary Air Compressors are 1170 CFM 350 psi with 2000 psi Boosters and are rig mounted.
- 3. Minimum setting depth of conductor casing will be 60' GL or 10'± into competent formation, whichever is deeper, as determined by the EOG person in charge. Exceptions must be approved by an EOG drilling superintendent or manager.
- 4. The diameter of the diverter flow line will be a minimum of 10" to help reduce back pressure on the well bore during uncontrolled flow.
- 5. Rat and Mouse hole drilling will occur only after surface casing has been set and cemented.
- 6. EOG Resources, Inc. will use a properly maintained and lubricated stripper head.

(Attachment: BOP Schematic Diagram)

# 'APIWellNo:43047503070000'

= SECTION CORNERS LOCATED.



LONGITUDE =  $109^{\circ}18'35.14"$  (109.309761)

#### EOG RESOURCES, INC.


Well location, CWU #4031-27, located as shown in the SW 1/4 NE 1/4 of Section 27, T9S, R23E, S.L.B.&M., Uintah County, Utah.

#### BASIS OF ELEVATION

BENCHMARK 58 EAM (1965) LOCATED IN THE NE 1/4 OF SECTION 30, T9S, R23E, S.L.B.&M. TAKEN FROM THE RED WASH SE, QUADRANGLE, UTAH, UINTAH COUNTY 7.5 MINUTE QUAD. (TOPOGRAPHIC MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 5132 FEET.

#### BASIS OF BEARINGS

BASIS OF BEARINGS IS A G.P.S. OBSERVATION.



THIS IS TO CERTIFY THAT THE ABOVE PLAN AS PREPARED FREFIELD NOTES OF ACTUAL SURVEYS MAD BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO BEST OF MY KNOWLEDGE AND BELIEF NO. 161319

REGISTERED LAND SUFFICE FOR REGISTRATION NO. 161319
STATE OF UTAPATE OT UTAPATE OF UTAPATE OT UTAPA

#### UINTAH ENGINEERING & LAND SURVEYING 85 SOUTH 200 EAST - VERNAL, UTAH 84078 (435) 789-1017

SCALE	DATE SURVEYED: DATE DRAWN:
1" = 1000'	01-07-09 01-26-09
PARTY	REFERENCES
C.R. J.R. D.P.	G.L.O. PLAT
WEATHER	FILE
COLD	EOG RESOURCES, INC.

# EOG RESOURCES, INC.

CWU #4031-27

LOCATED IN UINTAH COUNTY, UTAH SECTION 27, T9S, R23E, S.L.B.&M.




PHOTO: VIEW FROM CORNER #5 TO LOCATION STAKE

CAMERA ANGLE: SOUTHERLY




PHOTO: VIEW OF EXISTING ACCESS


CAMERA ANGLE: WESTERLY




LOCATION PHOTOS

O1 27 09
YEAR
TAKEN BY: C.R. DRAWN BY: D.P. REVISED: 00-00-00










# EOG RESOURCES, INC. CWU #4031-27 SECTION 27, T9S, R23E, S.L.B.&M.

PROCEED IN A WESTERLY DIRECTION FROM VERNAL, UTAH ALONG U.S. HIGHWAY 40 APPROXIMATELY 14.0 MILES TO THE JUNCTION OF STATE HIGHWAY 88; EXIT LEFT AND PROCEED IN A SOUTHERLY DIRECTION APPROXIMATELY 17.0 MILES TO OURAY, UTAH; PROCEED IN A SOUTHERLY DIRECTION APPROXIMATELY 0.3 MILES ON THE SEEP RIDGE ROAD TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE EAST: TURN LEFT AND PROCEED IN AN EASTERLY DIRECTION APPROXIMATELY 12.3 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTH; TURN RIGHT AND PROCEED IN A SOUTHERLY DIRECTION APPROXIMATELY 1.7 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE EAST; TURN LEFT AND PROCEED IN AN EASTERLY DIRECTION APPROXIMATELY 1.9 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTHEAST: TURN RIGHT AND PROCEED IN A SOUTHEASTERLY DIRECTION APPROXIMATELY 0.5 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTHEAST: TURN LEFT AND PROCEED IN A SOUTHEASTERLY, THEN NORTHEASTERLY DIRECTION APPROXIMATELY 4.5 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTHEAST; TURN RIGHT AND PROCEED IN A SOUTHEASTERLY DIRECTION APPROXIMATELY 0.1 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTHEAST; TURN RIGHT AND SOUTHEASTERLY, **PROCEED** IN THEN EASTERLY. Α NORTHEASTERLY DIRECTION APPROXIMATELY 2.4 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE EAST; TURN RIGHT AND PROCEED IN AN EASTERLY, THEN SOUTHEASTERLY, THEN NORTHEASTERLY DIRECTION APPROXIMATELY 0.8 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE WEST; TURN LEFT AND PROCEED IN WESTERLY DIRECTION APPROXIMATELY 0.1 MILES TO THE PROPOSED LOCATION.

TOTAL DISTANCE FROM VERNAL, UTAH TO THE PROPOSED WELL LOCATION IS APPROXIMATELY 55.6 MILES.









#### Chapita Wells Unit 4031-27 SWNE, Section 27, T9S, R23E Uintah County, Utah

#### SURFACE USE PLAN

The well pad is approximately 350 feet long with a 246-foot width, containing 1.98 acres more or less. New surface disturbance associated with the well pad is estimated to be 1.98 acres.

#### 1. EXISTING ROADS:

- A. See attached Plats showing directional reference stakes on location, and attached TOPO Map "B" showing access to location from existing roads.
- B. The proposed well site is located approximately 55.6 miles south of Vernal, Utah See attached TOPO Map "A".
- C. Refer to attached Topographic Map "A" showing labeled access route to location.
- D. Existing roads will be maintained and repaired as necessary.

#### 2. PLANNED ACCESS ROAD:

- A. The existing access road for the Chapita Wells Unit 1092-27 will be used to access the proposed location. No new road will be required.
- B. No additional storage areas will be needed for storing equipment, stockpiling, or vehicle parking.

All travel will be confined to existing access road rights-of-way.

Traveling off the 30-foot right-of-way will not be allowed. The access road and associated drainage structures will be constructed and maintained in accordance with road guidelines contained in the joint BLM/USFS publication: Surface Operating Standards for Oil and Gas Exploration and Development, Fourth Edition, and/or BLM Manual Section 9113 concerning road construction standards on projects subject to federal jurisdiction. During the drilling and production phase of operations, the road surface and shoulders will be kept in a safe and useable condition and drainage ditches and culverts will be kept clear and free flowing.

#### 3. LOCATION OF EXISTING WELLS WITHIN A ONE-MILE RADIUS:

See attached TOPO map "C" for the location of wells within a one-mile radius.

#### 4. LOCATION OF EXISTING AND/OR PROPOSED PRODUCTION FACILITIES:

#### A. On Well Pad

- 1. Production facilities will be set on location if the well is successfully completed for production. Facilities will consist of wellhead valves, combo separator-dehy unit with meter, two (2) 400-bbl or one (1) 300-bbl vertical tanks and associated pipe.
- 2. Gas gathering lines A 4" gathering line will be buried from the dehy unit to the edge of the location.

#### B. Off Well Pad

1. No new off-pad pipeline will be required. The existing pipeline for the Chapita Wells Unit 1092-27 will be used to transport gas from the proposed location.

All permanent (on site for six months or longer) structures constructed or installed (including pumping units) will be painted a flat, non-reflective, earthtone color to match one of the standard environmental colors, as determined by the Rocky Mountain Five State Interagency Committee. All facilities will be painted within 6 months of installation. All facilities will be painted with Carlsbad Canyon or Covert Green. Facilities required to comply with O.S.H.A. (Occupational Safety and Health Act) will be excluded.

#### 5. LOCATION AND TYPE OF WATER SUPPLY:

- A. Water supply will be Bonanza Power Plant water source in Sec 26, T8S, R23E, Uintah County, UT (State Water Right # 49-225(A31368)).
- B. Water will be hauled by a licensed trucking company.
- C. No water well will be drilled on lease.

#### 6. Source of Construction Materials:

- A. All construction material for this pipeline will be of native borrow and soil accumulated during the construction of the location.
- B. No mineral materials will be required.

#### 7. METHODS OF HANDLING WASTE DISPOSAL:

#### A. METHODS AND LOCATION

- 1. Cuttings will be confined in the reserve pit.
- 2. A portable toilet will be provided for human waste during the drilling and completion of the well. Disposal will be at the Vernal sewage disposal plant.

- 3. Burning will not be allowed. Trash and other waste material will be contained in a wire mesh cage and disposed of at the Uintah County Landfill.
- 4. Produced wastewater will be confined to a storage tank for a period not to exceed 90 days after initial production. After the 90 day period, the produced water will be contained in a tank on location and then disposed of at one of the following locations: Natural Buttes Unit 21-20B SWD, Ace Disposal, CWU 550-30N SWD CWU 2-29 SWD, Red Wash Evaporation Ponds 1, 2, 3, 4, 5, 6, or 7, or Coyote Evaporation Ponds 1, 2, 3, or 4, or White River Evaporation Ponds 1, or 2, or Hoss SWD Facility, right-of-way UTU 86010, UTU 897093 or EOG Resources, Inc. drilling operations (Chapita Wells Unit, Natural Buttes Unit & Stagecoach Unit).
- 5. All chemicals will be disposed of at an authorized disposal site. Drip pans and absorbent pads will be used on the drilling rig to avoid leakage of oil to the pit.
- B. Water from drilling fluids and recovered during testing operations will be disposed of by either evaporating in the reserve pit, through natural or artificial methods, or removed and disposed of at an authorized disposal site. Introduction of well bore hydrocarbons to the reserve pit will be avoided by flaring them off in the flare pit at the time of recovery.

The reserve pit will be constructed so as not to leak, break, or allow discharge. If the reserve pit requires padding prior to lining (due to rocky conditions) felt padding will be used.

The reserve pit shall be lined with **double felt**, and a **20-millimeter** plastic liner. Sufficient bedding (i.e. weed free straw, or hay; felt; polyswell or soil) will be used to cover any rocks. The liner will overlap the pit walls and be covered with dirt and/or rocks to hold it in place. No trash, scrap pipe, etc., that could puncture the liner will be disposed of in the pit. More stringent protective requirements may be deemed necessary by the Authorized Officer (A.O.)

EOG Resources, Inc. maintains a file, per 29 CFR 1910.1200 (g) containing current Material Safety Data Sheets (MSDS) for all chemicals, compounds, and/or substances which are used during the course of construction, drilling, completion, and production operations for this project. Hazardous materials (substances) which may be found at the site may include drilling mud and cementing products which are primarily inhalation hazards, fuels (flammable and/or combustible), materials that may be necessary for well completion/ stimulation activities such as flammable or combustible substances and acids/gels (corrosives). The opportunity for Superfund Amendments and Reauthorization Act (SARA) listed Extremely Hazardous Substances (EHS) at the site is generally limited to proprietary treating chemicals. All hazardous and EHS and commercial preparations will be handled in an appropriate manner to minimize the potential for leaks or spills to the environment.

No chemicals subject to reporting under SARA Title III (hazardous materials) in an amount greater than 10,000 pounds will be used, produced, stored, transported, or disposed of annually in association with the drilling, testing, or completion of the well.

Furthermore, extremely hazardous substances, as defined in 40 CFR 355, in threshold planning quantities, will not be used, produced, stored, transported, or disposed of in association with the drilling, testing or completion of the well.

#### 8. ANCILLARY FACILITIES:

None anticipated.

#### 9. WELL SITE LAYOUT:

- Refer to attached well site plat for related topography cuts and fills and cross sections.
- B. Refer to attached well site plat for rig layout.
- C. Refer to attached well site plat for rig orientation, parking areas, and access road.

The reserve pit will be located on the northwest corner of the location. The flare pit will be located downwind of the prevailing wind direction on the north side of the location, a minimum of 100 feet from the wellhead and 30 feet from the reserve pit fence.

The stockpiled location topsoil will be stored in a location providing easy access for interim reclamation and protection of the topsoil. Upon completion of construction, the stockpiled topsoil from the location will be broadcast seeded with the approved seed mixture from this location and then walked down with a Caterpillar tractor.

Access to the well pad will be from the east.

The corners of the well pad will be rounded off as needed to minimize excavation.

#### **FENCING REQUIREMENTS:**

All pits will be fenced according to the following minimum standards:

- A. Thirty-nine inch net wire shall be used with at least one strand of barbed wire on top of the net wire. (Barbed wire is not necessary if pipe or some type of reinforcement rod is attached to the top of the entire fence.)
- B. The net wire shall be no more than 2 inches above the ground. The barbed wire strand shall be 3 inches above the net wire. Total height of the fence shall be at least 42 inches.
- C. Corner posts shall be cemented and/or braced in such a manner as to keep the fence tight at all times.
- D. Standard steel, wood, or pipe posts shall be used between the corner braces. Maximum distances between any two posts shall be no greater than 16 feet.

E. All wire shall be stretched by using a stretching device before it is attached to the corner posts.

The reserve pit fencing will be on the three sides during drilling operations and on the fourth side when the rig moves off location. Pits will be fenced and maintained until clean-up.

Each existing fence to be crossed by the access road shall be braced and tied off before cutting so as to prevent slacking of the wire. The opening shall be closed temporarily as necessary during construction to prevent the escape of livestock, and, upon completion of construction, the fence shall be repaired to BLM or SMA specifications. Prior to crossing any fence located on Federal land, or any fence between Federal land and private land, the operator will contact the BLM, who will in turn contact the grazing permittee or owner of said fence and offer him/her the opportunity to be present when the fence is cut in order to satisfy himself/herself that the fence is adequately braced and tied off.

#### 10. PLANS FOR RECLAMATION OF THE SURFACE:

#### A. Interim Reclamation (Producing Location)

Immediately upon well completion, the location and surrounding area will be cleared of all unused tubing, equipment, debris, materials, trash, and junk not required for production.

Immediately upon well completion, any hydrocarbons on the pit shall be removed in accordance with CFR 3162.7-1.

If a plastic nylon reinforced liner is used, it shall be torn and perforated before backfilling of the reserve pit.

The reserve pit and that portion of the location not needed for production facilities/operations will be reseeded during interim reclamation. The reserve pit will be reclaimed within 6 months from the date of the well completion, or as soon as weather allows. Before any dirt takes place, the reserve pit must be completely dry and free of all foreign obstacles.

The stockpiled pit topsoil will then be spread over the pit area and broadcast seeded with the prescribed seed mixture for this location. The seeded area will then be walked down with a cat.

#### CHAPITA WELLS UNIT 4031-27 Surface Use Plan

Seed Mixture	Drilled Rate (lbs./acre PLS*)
HyCrest Wheatgrass	5.0
Shadscale	4.0
Prostrate Kochia	3.0

<sup>\*</sup>Pure live seed (PLS) formula: percent of purity of seed mixture times percent germination of seed mixture equals portion of seed mixture that is PLS.

#### B. Dry Hole/Abandoned Location

At such time as the well is plugged and abandoned, the operator will submit a subsequent report of abandonment and the BLM will attach the appropriate surface rehabilitation conditions of approval.

Seed Mixture	Drilled Rate (lbs./acre PLS*)
Wyoming Big Sage	1.0
Shadscale	4.0
Needle and Threadgrass	4.0
HyCrest Wheatgrass	2.0
Scarlet Globe Mallow	1.0

<sup>\*</sup>Pure live seed (PLS) formula: percent of purity of seed mixture times percent germination of seed mixture equals portion of seed mixture that is PLS.

#### 11. SURFACE OWNERSHIP:

Surface ownership of the proposed well site, access road, and pipeline route is as follows:

#### **Bureau of Land Management**

#### 12. OTHER INFORMATION:

- A. EOG Resources, Inc. will inform all persons in the area who are associated with this project that they are subject to prosecution for knowingly disturbing historic or archaeological sites, or for collecting artifacts. If historic or archaeological materials are uncovered during construction, the operator will immediately stop work that might further disturb such materials, and contact the Authorized Officer. Within five working days the Authorized Officer will inform the operator as to:
  - Whether the materials appear eligible for the National Register of Historic Places;
  - The mitigation measures the operator will likely have to undertake before the site can be used.

 A time frame for the Authorized Officer to complete an expedited review under 36 CFR 800.11 to confirm, through the State Historic Preservation Officer, that the findings of the Authorized Officer are correct and that mitigation is appropriate.

If the operator wished, at any time, to relocate activities to avoid the expense of mitigation and/or the delays associated with this process, the Authorized Officer will assume responsibility for whatever recordation and stabilization of the exposed materials that may be required. Otherwise, the operator will be responsible for mitigation costs. The Authorized Officer will provide technical and procedural guidelines for the conduct of mitigation. Upon verification from the Authorized Officer that required mitigation has been completed, the operator will then be allowed to resume construction.

- B. As operator, EOG Resources, Inc. will control noxious weeds along rights-of-way for roads, pipelines, well sites, or other applicable facilities. A list of noxious weeds will be obtained from the BLM administered land, a Pesticide Use proposal shall be submitted, and given approval, prior to the application or herbicides or other pesticides or possible hazardous chemicals.
- C. Drilling rigs and/or equipment used during drilling operations on this well site will not be stacked or stored on BLM lands after the conclusion of drilling operations or at any other time without BLM authorization. However, if BLM authorization is obtained, it is only a temporary measure to allow time to make arrangements for permanent storage on commercial facilities.
- D. The drilling rig and ancillary equipment will be removed from the location prior to commencement of completion operations. Completion operations will be conducted utilizing a completion/workover rig.

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil and Gas Orders, the approved Plan of Operations, and any applicable Notice of Lessees. The operator is fully responsible for the actions of its subcontractors. A complete copy of the approved "Application for Permit to Drill" will be furnished to the field representative(s) to ensure compliance and shall be on location during all construction and drilling operations.

Construction activity will not be conducted using frozen or saturated soils material or during periods when watershed damage is likely to occur.

If the existing access road, proposed access road, and proposed pad are dry during construction, drilling, and completion activities, water will be applied to help facilitate compaction during construction and to minimize soil loss as a result of wind erosion.

A cultural resources survey was conducted and will be submitted by Montgomery Archaeological Consultants. A paleontological survey was conducted and will be submitted by Intermountain Paleo.

#### CHAPITA WELLS UNIT 4031-27 Surface Use Plan

Page 8

#### **Additional Surface Stipulations:**

None.

#### LESSEE OR OPERATOR'S REPRESENTATIVE AND CERTIFICATION:

#### **PERMITTING AGENT**

Mary A. Maestas EOG Resources, Inc. 1060 East Highway 40 Vernal, UT 84078 (435) 781-9111

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil and Gas Orders, the approved plan of operations, and any applicable Notice to Lessees. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished to the field representative to insure compliance.

The operator or his/her contractor shall contact the BLM office at (435) 781-4400 forty-eight (48) hours prior to construction activities.

#### **CERTIFICATION:**


I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions which currently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by EOG Resources, Inc. and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.

Please be advised that EOG Resources, Inc. is considered to be the operator of the Chapita Wells Unit 4031-27 Well, located in the SWNE, of Section 27, T9S, R23E, Uintah County, Utah; Federal land and minerals; and is responsible under the terms and conditions of the lease for the operations conducted upon the leased lands. Bond Coverage is under Bond # NM 2308.

March 26, 2009	
Date	Mary A. Maestas, Regulatory Assistant


EOG RESOURCES 11" 5,000 PSI W.P. BOP CONFIGURATION

PAGE 1 OF 2




# EOG RESOURCES CHOKE MANIFOLD CONFIGURATION W/ 5,000 PSI WP VALVES

**PAGE 2 0F 2** 



#### **Testing Procedure:**

- 1. BOP will be tested with a professional tester to conform to Onshore Order #2.
- 2. Blind and Pipe rams will be tested to rated working pressure, 5,000 psi.
- 3. Annular Preventer will be tested to 50% working pressure, 2,500 psi. Casing will be tested to 0.22 psi / ft. or 1,500 psi. Not to exceed 70% of burst strength, whichever is greater.
- 4. All lines subject to well pressure will be tested to the same pressure as blind and pipe rams.
- 5. All BOPE specifications and configurations will meet Onshore Order #2 requirements.



## **United States Department of the Interior**

# BUREAU OF LAND MANAGEMENT Utah State Office P.O. Box 45155 Salt Lake City, Utah 84145-0155

IN REPLY REFER TO: 3160 (UT-922)

March 30, 2009

#### Memorandum

To: Assistant District Manager Minerals, Vernal District

From: Michael Coulthard, Petroleum Engineer

Subject: 2009 Plan of Development Chapita Wells Unit Uintah

County, Utah.

Pursuant to email between Diana Whitney, Division of Oil, Gas and Mining, and Mickey Coulthard, Utah State Office, Bureau of Land Management, the following wells are planned for calendar year 2009 within the Chapita Wells Unit, Uintah County, Utah.

API# WELL NAME LOCATION

#### (Proposed PZ Wasatch)

43-047-50292 CWU 4026-22 Sec 22 T09S R23E 0836 FSL 0702 FWL 43-047-50293 CWU 4023-22 Sec 22 T09S R23E 2128 FNL 0792 FWL 43-047-50294 CWU 4018-21 Sec 21 T09S R23E 2078 FNL 0449 FWL 43-047-50296 CWU 4029-27 Sec 27 T09S R23E 2078 FNL 0449 FWL 43-047-50297 CWU 4033-27 Sec 27 T09S R23E 2047 FSL 1941 FWL 43-047-50298 CWU 4028-27 Sec 27 T09S R23E 0892 FNL 1920 FWL 43-047-50307 CWU 4031-27 Sec 27 T09S R23E 0628 FNL 0703 FEL 43-047-50308 CWU 4030-27 Sec 27 T09S R23E 0645 FNL 0814 FEL 43-047-50309 CWU 4021-28 Sec 28 T09S R23E 0618 FSL 1686 FWL 43-047-50310 CWU 4013-30 Sec 30 T09S R23E 0974 FNL 2006 FEL 43-047-50295 CWU 779-20 Sec 20 T09S R23E 2002 FNL 1789 FEL

#### (Proposed PZ Mesaverde)

43-047-50305 CWU 1427-22D Sec 22 T09S R22E 0378 FNL 2112 FWL BHL Sec 22 T09S R22E 0757 FNL 1838 FWL 43-047-50306 CWU 1258-20 Sec 20 T09S R23E 1800 FNL 2029 FWL 43-047-50311 CWU 1431-15D Sec 15 T09S R22E 0661 FSL 1836 FEL BHL Sec 15 T09S R22E 1355 FSL 2039 FEL 43-047-50312 CWU 1430-15D Sec 15 T09S R22E 0681 FSL 1838 FEL BHL Sec 15 T09S R22E 1321 FSL 1486 FEL 43-047-50313 CWU 1429-15D Sec 15 T09S R22E 0671 FSL 1837 FEL BHL Sec 15 T09S R22E 0670 FSL 1253 FEL 43-047-50314 CWU 1130-20 Sec 20 T09S R23E 0845 FNL 0463 FWL

Page 2

43-047-50315 CWU 1121-28 Sec 28 T09S R23E 0634 FNL 0839 FWL 43-047-50316 CWU 1097-28 Sec 28 T09S R23E 0856 FSL 2053 FEL 43-047-50317 CWU 1434-22D Sec 22 T09S R22E 0372 FNL 2120 FWL BHL Sec 22 T09S R22E 0678 FNL 2621 FWL 43-047-50318 CWU 1432-22D Sec 22 T09S R22E 0360 FNL 2137 FWL BHL Sec 15 T09S R22E 0160 FSL 2526 FWL 43-047-50319 CWU 1433-22D Sec 22 T09S R22E 0366 FNL 2128 FWL BHL Sec 15 T09S R22E 0201 FSL 1920 FWL 43-047-50320 CWU 1425-22D Sec 22 T09S R22E 0384 FNL 2104 FWL BHL Sec 22 T09S R22E 0635 FNL 1357 FWL 43-047-50321 CWU 1259-20 Sec 20 T09S R23E 0594 FSL 2004 FEL 43-047-50322 CWU 1260-21 Sec 21 T09S R23E 2304 FSL 1092 FWL 43-047-50323 CWU 1426-15D Sec 15 T09S R22E 0651 FSL 1835 FEL BHL Sec 15 T09S R22E 0068 FSL 2055 FEL 43-047-50324 CWU 1264-22 Sec 22 T09S R23E 2226 FSL 0896 FWL 43-047-50325 CWU 1261-21 Sec 21 T09S R23E 2616 FSL 1561 FEL 43-047-50326 CWU 1428-15D Sec 15 T09S R22E 0641 FSL 1834 FEL BHL Sec 15 T09S R22E 0091 FSL 1308 FEL

This office has no objection to permitting the wells at this time.


/s/ Michael L. Coulthard

bcc: File - Chapita Wells Unit
Division of Oil Gas and Mining
Central Files
Agr. Sec. Chron
Fluid Chron

#### WORKSHEET APPLICATION FOR PERMIT TO DRILL

APD RECEIVED:	: 3/26/2009	API NO. ASSIGNED:	43047503070000
WELL NAME:	: CWU 4031-27		
OPERATOR:	EOG Resources, Inc. (N955	0) PHONE NUMBER:	303 824-5526
CONTACT	: Mary Maestas		
PROPOSED LOCATION:	SWNE 27 090S 230E	Permit Tech Review:	
SURFACE	: 1844 FNL 1920 FEL	Engineering Review:	
воттом	: 1844 FNL 1920 FEL	Geology Review:	
COUNTY	: UINTAH		
LATITUDE	: 40.00919	LONGITUDE:	-109.30980
UTM SURF EASTINGS:	644263.00	NORTHINGS:	4429936.00
FIELD NAME:	: NATURAL BUTTES		
LEASE TYPE:	1 - Federal		
LEASE NUMBER:	UTU0344A	PROPOSED FORMATION:	PRRV
SURFACE OWNER:	: 1 - Federal	COALBED METHANE:	NO
ECEIVED AND/OR REVIEWE		LOCATION AND SITING:	
PLAT		R649-2-3.	
Bond: FEDERAL - NM2308		Unit: CHAPITA WELLS	
Potash		R649-3-2. General	
Oil Shale 190-5			
Oil Shale 190-3		R649-3-3. Exception	
Oil Shale 190-13		✓ Drilling Unit	
<b>✓</b> Water Permit: 49-225		Board Cause No: 179-8	
RDCC Review:		Effective Date: 8/10/1999	
Fee Surface Agreement		Siting: Suspends General Siting	
Intent to Commingle		R649-3-11. Directional Drill	

API Well No: 43047503070000



### State of Utah

DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA
Division Director

#### **Permit To Drill**

\*\*\*\*\*

**Well Name:** CWU 4031-27 **API Well Number:** 43047503070000

**Lease Number:** UTU0344A **Surface Owner:** FEDERAL **Approval Date:** 4/2/2009

#### **Issued to:**

EOG Resources, Inc., 1060 East Highway 40, Vernal, UT 84078

#### **Authority:**

Pursuant to Utah Code Ann. §40-6-1 et seq., and Utah Administrative Code R649-3-1 et seq., the Utah Division of Oil, Gas and Mining issues conditions of approval, and permit to drill the listed well. This permit is issued in accordance with the requirements of Cause 179-8.

#### **Duration:**

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date

#### General:

Compliance with the requirements of Utah Admin. R. 649-1 et seq., the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

#### **Conditions of Approval:**

State approval of this well does not supercede the required federal approval, which must be obtained prior to drilling.

#### **Notification Requirements:**

Notify the Division with 24 hours of spudding the well.

• Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

• Contact Dustin Doucet at (801) 538-5281 office (801) 733-0983 home

#### **Reporting Requirements:**

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

API Well No: 43047503070000

**Approved By:** 

Gil Hunt

Associate Director, Oil & Gas

Die Hut

STATE OF UTAH		FORM 9			
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0344A		
	RY NOTICES AND REPORTS		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
Do not use this form for propo bottom-hole depth, reenter plu DRILL form for such proposals	sals to drill new wells, significantly deeper ugged wells, or to drill horizontal laterals.	n existing wells below current Use APPLICATION FOR PERMIT TO	7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS		
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: CWU 4031-27		
2. NAME OF OPERATOR: EOG Resources, Inc.			9. API NUMBER: 43047503070000		
3. ADDRESS OF OPERATOR: 1060 East Highway 40 , Verna	al, UT, 84078 435 781-9	PHONE NUMBER: 111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES		
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1844 FNL 1920 FEL QTR/QTR, SECTION, TOWNSHI	TD DANGE MEDIDIAN.		COUNTY: UINTAH		
	Township: 09.0S Range: 23.0E Meridian:	S	STATE: UTAH		
11.	CK APPROPRIATE BOXES TO INDICA	TE NATURE OF NOTICE, REPOR	Γ, OR OTHER DATA		
TYPE OF SUBMISSION		TYPE OF ACTION			
✓ NOTICE OF INTENT	☐ ACIDIZE	ALTER CASING	CASING REPAIR		
Approximate date work will start:  3/25/2010	☐ CHANGE TO PREVIOUS PLANS ☐ CHANGE WELL STATUS	☐ CHANGE TUBING ☐ COMMINGLE PRODUCING FORMATIONS	CHANGE WELL NAME CONVERT WELL TYPE		
SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	□ NEW CONSTRUCTION		
Date of Work Completion:	☐ OPERATOR CHANGE	PLUG AND ABANDON	☐ PLUG BACK		
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION		
Date of Spud:	☐ REPERFORATE CURRENT FORMATION☐ TUBING REPAIR	<ul><li>☐ SIDETRACK TO REPAIR WELL</li><li>☐ VENT OR FLARE</li></ul>			
DRILLING REPORT Report Date:	☐ WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION		
Report Date:	☐ WILDCAT WELL DETERMINATION	OTHER	OTHER:		
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.  EOG Resources, Inc. respectfully requests the APD for the referenced well be extended for one year.  Approved by the Utah Division of Oil, Gas and Mining  Date: March 31, 2010  By:					
NAME (PLEASE PRINT) Mickenzie Gates	<b>PHONE NUMBER</b> 435 781-9145	R TITLE Operations Clerk			
SIGNATURE N/A		<b>DATE</b> 3/25/2010			



#### The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

#### Request for Permit Extension Validation Well Number 43047503070000

**API:** 43047503070000 **Well Name:** CWU 4031-27

Location: 1844 FNL 1920 FEL QTR SWNE SEC 27 TWNP 090S RNG 230E MER S

**Company Permit Issued to:** EOG RESOURCES, INC.

**Date Original Permit Issued:** 4/2/2009

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

<ul> <li>If located on private land, has the ownership changed, if so, has the surface agreement been updated?</li> <li>Yes</li> <li>No</li> </ul>
• Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?  Yes No
<ul> <li>Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well?</li> <li>Yes</li> <li>No</li> </ul>
<ul> <li>Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location?</li> <li>Yes</li> <li>No</li> </ul>
• Has the approved source of water for drilling changed?   Yes  No
<ul> <li>Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No</li> </ul>
• Is bonding still in place, which covers this proposed well?   • Yes   • No Utah Division of

**Signature:** Mickenzie Gates **Date:** 3/25/2010

**Title:** Operations Clerk **Representing:** EOG RESOURCES, INC.

**Date:** March 31, 2010

Oil, Gas and Mining

BV:

Form 3160-5 (August 2007)

#### UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB NO. 1004-0135 Expires: July 31, 2010

Lease Serial No. UTU0344A

SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals 6. If Indian, Allottee or Tribe Name If Unit or CA/Agreement, Name and/or No. SUBMIT IN TRIPLICATE - Other instructions on reverse side. UTU63013X Well Name and No. CHAPITA WELLS UNIT 4031-27 Type of Well Oil Well 🛮 Gas Well 🗖 Other Name of Operator EOG RESOURCES INC Contact: MICKENZIE GATES 9. API Well No. E-Mail: MICKENZIE\_gates@EOGRESOURCES.COM 43-047-50307-00-X1 Field and Pool, or Exploratory NATURAL BUTTES 3a. Address b. Phone No. (include area code) 1060 EAST HIGHWAY 40 Ph: 453.781.9145 VERNAL, UT 84078 4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 11. County or Parish, and State Sec 27 T9S R23E SWNE 1844FNL 1920FEL UINTAH COUNTY, UT 40.00913 N Lat, 109.31044 W Lon 12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION □ Deepen Production (Start/Resume) □ Acidize ☐ Water Shut-Off Notice of Intent ☐ Alter Casing ☐ Fracture Treat ☐ Reclamation ☐ Well Integrity ☐ Subsequent Report Other Other Casing Repair ■ New Construction ☐ Recomplete hange to Original Final Abandonment Notice Change Plans ☐ Plug and Abandon ☐ Temporarily Abandon ☐ Plug Back Convert to Injection → Water Disposal 13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.) EOG Resources, Inc. respectfully requests the APD for the referenced well be extended for two years VERNAL FIELD OFFICE RECEIVED CONDITIONS OF APPROVAL ATTACHED NOV 08 2000 PET RECL DIV. OF OIL, GAS & MINING 14. I hereby certify that the foregoing is true and correct Electronic Submission #92834 verified by the BLM Well Information System
For EOG RESOURCES INC, sent to the Vernal
Committed to AFMSS for processing by GAIL JENKINS on 09/15/2010 (10GXJ4868SE) Name (Printed/Typed) MICKENZIE GATES Title **OPERATIONS CLERK** 

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Date

Title

Office

09/14/2010

Approved By

(Electronic Submission)

Acting Assistant Field Manager Lands & Mineral Resources

Conditions of approval, if any are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

VERNAL FIELD OFFICE

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



Signature

# **CONDITIONS OF APPROVAL**

## **EOG** Resources, Inc.

### Notice of Intent APD Extension

Lease:

UTU-0344A

Well:

CWU 4031-27

Location:

SWNE Sec 27-T9S-R23E

An extension for the referenced APD is granted with the following conditions:

- 1. The extension and APD shall expire on 3/31/13.
- 2. No other extension shall be granted.

If you have any other questions concerning this matter, please contact Carey Doyle of this office at (435) 781-3406

RECEIVED

NOV 0 8 2010

DIV. OF OIL, GAS & MINING

Sundry Number: 13874 API Well Number: 43047503070000

	STATE OF UTAH				FORM 9	
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING				5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0344A		
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:			
	sals to drill new wells, significantly deepe agged wells, or to drill horizontal laterals.				7.UNIT OF CA AGREEMENT NAME: CHAPITA WELLS	
1. TYPE OF WELL Gas Well					L NAME and NUMBER: 4031-27	
2. NAME OF OPERATOR: EOG Resources, Inc.					NUMBER: 7503070000	
3. ADDRESS OF OPERATOR: 1060 East Highway 40 , Verna			UMBER: ixt	9. FIELD and POOL or WILDCAT: NATURAL BUTTES		
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1844 FNL 1920 FEL				COUNTY: UINTAH		
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: SWNE Section: 27	IP, RANGE, MERIDIAN: Township: 09.0S Range: 23.0E Meridian	n: S		STATE UTAH		
11. CHE	CK APPROPRIATE BOXES TO INDICA	ATE N	ATURE OF NOTICE, REPORT	Γ, OR OT	HER DATA	
TYPE OF SUBMISSION			TYPE OF ACTION			
	☐ ACIDIZE		ALTER CASING		CASING REPAIR	
NOTICE OF INTENT Approximate date work will start:	☐ CHANGE TO PREVIOUS PLANS		CHANGE TUBING		CHANGE WELL NAME	
3/29/2011	☐ CHANGE WELL STATUS		COMMINGLE PRODUCING FORMATIONS	. 🗆	CONVERT WELL TYPE	
SUBSEQUENT REPORT	DEEPEN		FRACTURE TREAT		NEW CONSTRUCTION	
Date of Work Completion:	OPERATOR CHANGE		PLUG AND ABANDON		PLUG BACK	
	PRODUCTION START OR RESUME		RECLAMATION OF WELL SITE		RECOMPLETE DIFFERENT FORMATION	
SPUD REPORT Date of Spud:	☐ REPERFORATE CURRENT FORMATION	□ :	SIDETRACK TO REPAIR WELL		TEMPORARY ABANDON	
	☐ TUBING REPAIR		VENT OR FLARE		WATER DISPOSAL	
☐ DRILLING REPORT	☐ WATER SHUTOFF		SI TA STATUS EXTENSION	/	APD EXTENSION	
Report Date:	□ WILDCAT WELL DETERMINATION		OTHER	ОТЬ	IER:	
	OMPLETED OPERATIONS. Clearly show all p				,	
	respectfully requests the AP extended for one yea	D fo		be	Approved by the Utah Division of I, Gas and Mining	
				Date:	03/31/2011	
				J	00 cal W	
				By: <u>(1</u> )	NOW THE REAL PROPERTY.	
NAME (PLEASE PRINT)	PHONE NUMBE	R	TITLE			
Mickenzie Gates  SIGNATURE	435 781-9145		Operations Clerk  DATE			
N/A			3/29/2011			

Sundry Number: 13874 API Well Number: 43047503070000



#### The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

#### Request for Permit Extension Validation Well Number 43047503070000

**API:** 43047503070000 **Well Name:** CWU 4031-27

Location: 1844 FNL 1920 FEL QTR SWNE SEC 27 TWNP 090S RNG 230E MER S

**Company Permit Issued to:** EOG RESOURCES, INC.

**Date Original Permit Issued:** 4/2/2009

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

<ul> <li>If located on private land, has the ownership changed, if so, has the surface agreement been updated?</li> <li>Yes </li> <li>No</li> </ul>
<ul> <li>Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?</li> <li>Yes</li> <li>No</li> </ul>
<ul> <li>Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well?</li> <li>Yes</li> <li>No</li> </ul>
<ul> <li>Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location?</li> <li>Yes </li> <li>No</li> </ul>
• Has the approved source of water for drilling changed? 🔘 Yes 🌘 No
<ul> <li>Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?</li> <li>Yes</li> <li>No</li> </ul>
• Is bonding still in place, which covers this proposed well?   Yes   No

**Signature:** Mickenzie Gates **Date:** 3/29/2011

**Title:** Operations Clerk **Representing:** EOG RESOURCES, INC.

	FORM 9				
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0344A		
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
	posals to drill new wells, significantly de reenter plugged wells, or to drill horizont n for such proposals.		7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS		
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: CWU 4031-27		
2. NAME OF OPERATOR: EOG Resources, Inc.			9. API NUMBER: 43047503070000		
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000		PHONE NUMBER: 435 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES		
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1844 FNL 1920 FEL			COUNTY: UINTAH		
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: SWNE Section: 2	HP, RANGE, MERIDIAN: 27 Township: 09.0S Range: 23.0E Meridia	nn: S	STATE: UTAH		
11. CHEC	K APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPOR	RT, OR OTHER DATA		
TYPE OF SUBMISSION		TYPE OF ACTION			
	CHANGE TO PREVIOUS PLANS  CHANGE WELL STATUS  DEEPEN  OPERATOR CHANGE  PRODUCTION START OR RESUME  REPERFORATE CURRENT FORMATION  TUBING REPAIR  WATER SHUTOFF  WILDCAT WELL DETERMINATION  COMPLETED OPERATIONS. Clearly show all not. respectfully requests the A well be extended for one year	PD for the referenced	CASING REPAIR  CHANGE WELL NAME  CONVERT WELL TYPE  NEW CONSTRUCTION  PLUG BACK  RECOMPLETE DIFFERENT FORMATION  TEMPORARY ABANDON  WATER DISPOSAL  ✓ APD EXTENSION  OTHER:  Depths, volumes, etc.  Approved by the  Utah Division of  Oil, Gas and Mining  Date: April 10, 2012  By:		
NAME (PLEASE PRINT) Mickenzie Gates	<b>PHONE NUMBEI</b> 435 781-9145	R TITLE Operations Clerk			
SIGNATURE N/A		DATE 4/10/2012			



#### The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

#### Request for Permit Extension Validation Well Number 43047503070000

API: 43047503070000 Well Name: CWU 4031-27

Location: 1844 FNL 1920 FEL QTR SWNE SEC 27 TWNP 090S RNG 230E MER S

Company Permit Issued to: EOG RESOURCES, INC.

Date Original Permit Issued: 4/2/2009

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

• If located on private land, has the ownership changed, if so, has the surface agreement been updated?  Yes  No
• Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?  Yes  No
• Has there been any unit or other agreements put in place that could affect the permitting or operation of th proposed well?   Yes  No
<ul> <li>Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location?</li> <li>Yes</li> <li>No</li> </ul>
• Has the approved source of water for drilling changed? 🔘 Yes 🃵 No
<ul> <li>Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?</li> <li>Yes</li> <li>No</li> </ul>
• Is bonding still in place, which covers this proposed well? 🌘 Yes 🔘 No
nature: Mickenzie Gates Date: 4/10/2012

Sig

Title: Operations Clerk Representing: EOG RESOURCES, INC.

	FORM 9				
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0344A		
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
	posals to drill new wells, significantly de reenter plugged wells, or to drill horizont n for such proposals.		7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS		
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: CWU 4031-27		
2. NAME OF OPERATOR: EOG Resources, Inc.			9. API NUMBER: 43047503070000		
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000		PHONE NUMBER: 435 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES		
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1844 FNL 1920 FEL			COUNTY: UINTAH		
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: SWNE Section: 2	HP, RANGE, MERIDIAN: 27 Township: 09.0S Range: 23.0E Meridia	nn: S	STATE: UTAH		
11. CHEC	K APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPOR	RT, OR OTHER DATA		
TYPE OF SUBMISSION		TYPE OF ACTION			
	CHANGE TO PREVIOUS PLANS  CHANGE WELL STATUS  DEEPEN  OPERATOR CHANGE  PRODUCTION START OR RESUME  REPERFORATE CURRENT FORMATION  TUBING REPAIR  WATER SHUTOFF  WILDCAT WELL DETERMINATION  COMPLETED OPERATIONS. Clearly show all not. respectfully requests the A well be extended for one year	PD for the referenced	CASING REPAIR  CHANGE WELL NAME  CONVERT WELL TYPE  NEW CONSTRUCTION  PLUG BACK  RECOMPLETE DIFFERENT FORMATION  TEMPORARY ABANDON  WATER DISPOSAL  ✓ APD EXTENSION  OTHER:  Depths, volumes, etc.  Approved by the  Utah Division of  Oil, Gas and Mining  Date: April 10, 2012  By:		
NAME (PLEASE PRINT) Mickenzie Gates	<b>PHONE NUMBEI</b> 435 781-9145	R TITLE Operations Clerk			
SIGNATURE N/A		DATE 4/10/2012			



#### The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

#### Request for Permit Extension Validation Well Number 43047503070000

API: 43047503070000 Well Name: CWU 4031-27

Location: 1844 FNL 1920 FEL QTR SWNE SEC 27 TWNP 090S RNG 230E MER S

Company Permit Issued to: EOG RESOURCES, INC.

Date Original Permit Issued: 4/2/2009

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

• If located on private land, has the ownership changed, if so, has the surface agreement been updated?  Yes  No
• Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?  Yes  No
• Has there been any unit or other agreements put in place that could affect the permitting or operation of th proposed well?   Yes  No
<ul> <li>Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location?</li> <li>Yes</li> <li>No</li> </ul>
• Has the approved source of water for drilling changed? 🔘 Yes 🃵 No
<ul> <li>Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?</li> <li>Yes</li> <li>No</li> </ul>
• Is bonding still in place, which covers this proposed well? 🌘 Yes 🔘 No
nature: Mickenzie Gates Date: 4/10/2012

Sig

Title: Operations Clerk Representing: EOG RESOURCES, INC.

		FORM 9				
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			3	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0344A		
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE	NAME:		
	posals to drill new wells, significantly reenter plugged wells, or to drill horiz n for such proposals.			7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS		
1. TYPE OF WELL Gas Well				8. WELL NAME and NUMBER: CWU 4031-27		
2. NAME OF OPERATOR: EOG Resources, Inc.				9. API NUMBER: 43047503070000		
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000	0 N , Denver, CO, 80202		<b>DNE NUMBER:</b> 35 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES		
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1844 FNL 1920 FEL				COUNTY: UINTAH		
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: SWNE Section: 2	HP, RANGE, MERIDIAN: 27 Township: 09.0S Range: 23.0E Mer	idian:	S	STATE: UTAH		
11. CHEC	K APPROPRIATE BOXES TO INDICA	TE N	ATURE OF NOTICE, REPOR	T, OR OTHER DATA		
TYPE OF SUBMISSION			TYPE OF ACTION			
	CHANGE TO PREVIOUS PLANS CHANGE WELL STATUS DEEPEN OPERATOR CHANGE PRODUCTION START OR RESUME REPERFORATE CURRENT FORMATION TUBING REPAIR WATER SHUTOFF WILDCAT WELL DETERMINATION  COMPLETED OPERATIONS. Clearly shown C. respectfully requests the Well be extended for one y	all pe	o for the referenced	CASING REPAIR  CHANGE WELL NAME  CONVERT WELL TYPE  NEW CONSTRUCTION  PLUG BACK  RECOMPLETE DIFFERENT FORMAT  TEMPORARY ABANDON  WATER DISPOSAL  ✓ APD EXTENSION  OTHER:  EPITHS, VOLUMES, etc.  Approved by the Utah Division of Oil, Gas and Minin  Date: April 01, 2013  By:		
NAME (PLEASE PRINT)	PHONE NUM	BER	TITLE			
Vail Nazzaro  SIGNATURE	303 824-5590		Sr. Regulatory Assistant  DATE			
N/A			3/25/2013			



#### The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

#### Request for Permit Extension Validation Well Number 43047503070000

API: 43047503070000 Well Name: CWU 4031-27

Location: 1844 FNL 1920 FEL QTR SWNE SEC 27 TWNP 090S RNG 230E MER S

Company Permit Issued to: EOG RESOURCES, INC.

Date Original Permit Issued: 4/2/2009

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

• If located on private land, has the ownership changed, if so, has the surface agreement been updated?  Yes  No
• Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?  Yes  No
<ul> <li>Has there been any unit or other agreements put in place that could affect the permitting or operation of the proposed well?</li> <li>Yes</li> <li>No</li> </ul>
<ul> <li>Have there been any changes to the access route including ownership, or rightof- way, which could affect t proposed location?</li> <li>Yes</li> <li>No</li> </ul>
• Has the approved source of water for drilling changed?   Yes  No
<ul> <li>Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?</li> <li>Yes </li> <li>No</li> </ul>
• Is bonding still in place, which covers this proposed well? 🌘 Yes 🔘 No
nature: Vail Nazzaro Date: 3/25/2013

Sig

Title: Sr. Regulatory Assistant Representing: EOG RESOURCES, INC.



### **United States Department of the Interior**

BUREAU OF LAND MANAGEMENT
Green River District
Vernal Field Office
170 South 500 East
Vernal, UT 84078
http://www.blm.gov/ut/st/en/fo/vernal.html



June 13, 2013

IN REPLY REFER TO: 3160 (UTG011)

Kaylene Gardner EOG Resources, Inc. 600 17TH STREET, SUITE 1000 N DENVER, CO 80202

43 047 50307

Re:

Notice of Expiration Well No. CWU 4031-27 SWNE, Sec. 27, T9S, R23E Uintah County, Utah Lease No. UTU-0344A Chapita Wells Unit

Dear Ms. Gardner:

The Application for Permit to Drill (APD) for the above-referenced well was approved on October 6, 2009. A two (2) year extension of the original APD was requested. The request was reviewed and the extension approved until March 31, 2013. According to our records, no known activity has transpired at the approved location. In view of the foregoing, this office is notifying you that the approval of the referenced application has expired. If you intend to drill at this location in the future, a new Application for Permit to Drill must be submitted.

This office requires a letter confirming that no surface disturbance has been made for this drill site. Any surface disturbance associated with the approved location of this well is to be rehabilitated. A schedule for this rehabilitation must be submitted to this office. Your cooperation in this matter is appreciated.

If you have any questions regarding this matter, please contact Robin R. Hansen at (435) 781-3428.

Sincerely,

/s/ Jerry Kenczka

Jerry Kenczka Assistant Field Manager Lands & Mineral Resources

RECEIVED
JUN 1 8 2013


CC:

**UDOGM** 

bcc:

Well File I&E Asst.

DIV. OF OIL, GAS & MINING



## State of Utah

#### DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER
Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA
Division Director

June 4, 2014

EOG Resources, Inc. 600 17th Street, Suite 1000 N. Denver, CO 80202

Re:

APDs Rescinded for EOG Resources, Inc., Uintah County

Ladies and Gentlemen:

Enclosed find the list of APDs that is being rescinded. No drilling activity at these locations has been reported to the division. Therefore, approval to drill these wells is hereby rescinded, effective June 4, 2014.

A new APD must be filed with this office for approval <u>prior</u> to the commencement of any future work on the subject location.

If any previously unreported operations have been performed on this well location, it is imperative that you notify the Division immediately.

Sincerely,

Environmental Scientist

cc:

Well File

Bureau of Land Management, Vernal



43-047-50292 43-047-50293	CWU 4026-22 CWU 4023-22
43-047-50294	CWU 4018-21
43-047-50295	CWU 779-20
43-047-50296 43-047-50297	CWU 4029-27 CWU 4033-27
43-047-50297	CWU 4028-27
43-047-50299	CWU 4014-30
43-047-50306	CWU 1258-20
43-047-50307	CWU 4031-27
43-047-50308	CWU 4030-27
43-047-50309	CWU 4021-28
43-047-50310	CWU 4013-30
43-047-50321	CWU 1259-20
43-047-50324	CWU 1264-22